

AQUAFITNESS FOR OLDER ADULTS? YOU BET!

Submitted by Elizabeth Fox, P.T., Aquatic Therapist, CALA Certified,
CALA Presenter – CALA Conference 2002.

Age-related changes in physical function affecting older water exercisers.

Parameter	Changes with Aging	Effects of Water Exercise
Muscular Strength	<ul style="list-style-type: none"> • Declines by ~1.5% per decade after age 60 • Number of motor units and muscle fibres decrease • Type II (fast twitch) fibre size decreases • Total muscle CSA decreases by ~10% after age 50 	<ul style="list-style-type: none"> • Isometric and isokinetic strength gains • Functional ability improves
Muscular Endurance	<ul style="list-style-type: none"> • Muscular endurance capacity similar to young adults • Ability to carry absolute load over time decreased • Post-exercise recovery time increased 	<ul style="list-style-type: none"> • Improved capacity to perform repeated joint actions per second



Christmas 2001 - hats and seasonal music.
Judy Laughton & her 60+ class.



Judy with her "Chippendales" at the 2000 "Forever Fit" event in Kanata.

Bone Density	<ul style="list-style-type: none"> • Bone loss of 0.3 - 0.5% per year after 3rd and 4th decade • Men only lose 2/3 of bone mass lost by women • Bone loss can develop into Osteoporosis 	<ul style="list-style-type: none"> • Muscular traction provided by water resistance may increase bone density • Buoyancy eliminates high-impact stresses contraindicated for fragile bones but provides low-impact aerobic workout
Cardiovascular Endurance	<ul style="list-style-type: none"> • VO₂ max decreases ~10% per decade • HRmax decreases approx 1 beat/year • Stroke volume max decreases • Decreased cardiac output occurs as a function of decreased HR and stroke volume 	<ul style="list-style-type: none"> • Water walking HR at min of 147 bpm sufficient to maintain CV fitness in young individuals • Improved VO₂ and HR with water exercise comparable to training effects on land • Increased VO₂ max, HRmax, and work capacity in older adults • Decreased resting HR in older participants

Parameter



Balance, Proprioception and Reaction Time

Changes with Aging

- Neurological changes contribute to muscle atrophy
- 35% decreased number of spinal cord axons
- 10% decrease in nerve conduction velocity
- Sensory and proprioception deficits
- Reaction times slows
- Osteoarthritis contributes to balance deficits

Effects of Water Exercise


- Improved static postural sway measures
- Dynamic balance may also improve based on improved gait characteristics and speed
- Reaction time decreased



Osteoarthritis

- Degenerative changes restrict joint movement, impair balance, cause pain, and restrict activity

- Improved psycho-social well being
- Decreased adverse joint reactions
- Improved strength and ROM
- Improved gait
- Decreased pain



The information on this table on age-related changes in physical function and the reported benefits of water exercise programs for older people is adapted with permission from Lindsay et al, 2000.

CSA = cross sectional area; HRmax = maximal heart rate; VO₂max = maximal oxygen uptake

References:

1. American college of Sports Medicine. Exercise and physical activity for older adults. *Med Sci Sports Exerc* 1996; 30(6):992-1008.
2. Krishnathason D, Vandervoort AA. Eccentric training prescription for older adults. *Top Geriatr Rehabil* 2000; 15:29-40.
3. Lexell J. Aging and human skeletal muscle: observations from Sweden. *Can J Appl Physiol* 1993; 18:2-18.
4. Porter MM, Vandervoort AA, Lexell J. Aging of human muscle: structure, function and adaptability. *Scan J Med Sci Sports* 1995; 5:29-142.
5. Ruoti RG. The effects of calisthenic water exercise on selected work, physiological and blood parameters of older adults. Unpublished doctoral dissertation, Temple University, Philadelphia.
6. Sanders ME, Constantino NL, Rippee NE et al. A comparison of results of functional water training on field and laboratory measures in older women [abstract]. *Med Sci Sports Exerc* 1997; 29(5) Suppl:S110.
7. Sanders ME, Maloney-Hills C. Aquatic exercise for better living on land. *ACSM's Health Fitness J* 1998; 2(3):16-23.